









KEY FEATURES

- 6 mm Aluminum bumper that is shot blasted, powder coated and corrosion resistant
- 5 mm powder coated and corrosion resistant steel frame
- Designed to ensure ease of installation as a full replacement for OE bumper
- Reinforced tow hooks
- Total weight 77,1 pounds for full-size and 66,1 pounds for stubby
- Installation of winch up to 12000lb












KEY FEATURES

- 4 mm Aluminum bumper that is shot blasted, powder coated and corrosion resistant
- 5 mm powder coated, corrosion resistant frame
- Easy installation using existing fitting point (without drilling)
- Reinforced tow hooks
- Total weight 77,1 pounds for full-size and 66,1 pounds for stubby




















KEY FEATURES

- Easy installation using existing fitting points and reinforced brackets
- Anti-slip treads
- 3 mm powder coated, corrosion resistant steel sliders

2D.2707.1 Rock Sliders **2D.2708.1** Steps







Skid plate set includes:


Steering rods, engine, gearbox, transfer case, fuel tank, front/rear arms, exhaust











HOOD STRUT KITS

- Smooth opening action that holds the hood open, using high quality STABILUS dynamic struts
- Easy, no drill installation using existing fitting points
- Vehicle specific, precision designed kits
- Provide clear and safe access to the engine bay for maintenance
- Lifetime warranty



